



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/581,513	08/02/2006	Stuart Brian William Kay	604-780	8424
23117 7590 12/08/2009 NIXON & VANDERHYE, PC 901 NORTH GLEBE ROAD, 11TH FLOOR ARLINGTON, VA 22203				
EXAMINER				
GRAY, PHILLIP A				
ART UNIT		PAPER NUMBER		
3767				
MAIL DATE		DELIVERY MODE		
12/08/2009		PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/581,513

Applicant(s)

KAY ET AL.

Examiner

Phillip Gray

Art Unit

3767

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 23 September 2009.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-11 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-11 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SG/US)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

This office action is in response to applicant's communication of 9/23/2009. Currently claims 1-11 are pending and rejected below.

Response to Arguments

Applicant's arguments filed 2/23/2009 have been fully considered but they are not persuasive. The elements disclosed in LUND are fully capable of satisfying all structural, functional, spatial, and operational limitations in the amended claims, as currently written, and the rejection is made and proper. See below discussion and figures in rejection below discussing the specifics of which elements of Lind read on the claims.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:


A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.


Claims 1-11 rejected under 35 U.S.C. 102(b) as being anticipated by Lund (U.S. Patent 5,273,190). Lund discloses a syringe for dispensing foam (see abstract and paragraph at column 1 lines 15-25) comprising a syringe plunger with front face(32) with a waste chamber (interior space which components 16 and 18 are contained in), a syringe barrel (12) with a nozzle (22) and bore (internal cavity and internal surface of

Art Unit: 3767

12), a seal formation (42) for sealing between the front face of plunger and said inner surface of the bore. See figure 2 and figure 4 marked up below.



Concerning claim 1 and seal formation.




Concerning claim 2 and vents note area around plunger face 32 or holes 88 as shown in figure 2.

Concerning claim 3 note flexible walls (top portion of 42). Concerning claims 4-5 note chamber is substantially empty of air (fig 2) and retained within a rigid wall chamber/frame (unit as shown in figure 3 and wall portions 54 and syringe barrel walls

Art Unit: 3767

12). Concerning claim 6 it is examiners position that element 42 is a flexible wall within the device but substantially inextensible (incapable of being extended or stretched), Element 32 is of a finite size and does not expand or stretch. Concerning claim 7 note inlets (inner most 88). Concerning claim 8 see marked up lower part of figure 2 below.



Concerning claims 9-10 and kit source of foam as gas and liquid note elements 16 and 18 pressurized liquid/gas. Concerning the method with the steps of connecting

the syringe to the foam (figure 2) dispensing a flow of foam into the syringe (figure 5), whereby the flow of foam initially enters the chamber (also shown in figure 5) and the flow of foam pushes the plunger back in the barrel and fills syringe (figure 6).

It is examiners position that the contents of 16 and 18 are sealed from the area outside for the front face of the plunger, "thereby preventing flow of foam past the front face of the plunger" see figure 2. Further note various holes or vents internal waste chamber (100, area before 100, 88, space outside of 32 around 104, outside opening near 58, ect.).

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claim 7 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 7 recites the limitation "said inlet" in the opening limitation of the claim. There is insufficient antecedent basis for this limitation in the claim. It is recommended that applicant amend the claim to add the "an inlet" in claim one or change the "said inlet" in claim 7 to "an inlet". Appropriate correction is required.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Phillip Gray whose telephone number is (571)272-7180. The examiner can normally be reached on Monday through Friday, 8:30 a.m. to 4:30 p.m. EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kevin Simons can be reached on (571) 272-4965. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Phillip Gray/
Examiner, Art Unit 3767
/Kevin C. Simons/
Supervisory Patent Examiner, Art Unit 3767